Our first 40 years between innovation and design.

Professional
Built-in
Design
Outdoor
Potenza

falmec

FALMEC ANNIVERSARY
40
1981 - 2021

Our first 40 years between innovation and design.

Professional
Built-in
Design
Outdoor
Potenza

falmec

FALMEC ANNIVERSARY
40
1981 - 2021

FALMEC ANNIVERSARY
40
1981 - 2021

Our first 40 years.

1981-2021: 40 years passed since our journey began. Years of successful dedication, research and growth, along which we have changed, remaining faithful to the values in which we believe and always with the same passion for our work: the driving force behind the success of Falmec. Our whole history has a single thread across time, generations, transformations in technology and lifestyles: it is the profound relationship that binds us to those who work with us, our territory as well as those who choose our products.

It is a legacy that comes from our identity as a family business, from our roots in the Italian manufacturing tradition and from the belief that it is possible to continue to grow sustainably, respecting the people and the world that surrounds us. Our innovations originate from this heritage of rural and human values, with an important goal: improving the quality of life and air in our homes.
Today we want to share with you our satisfaction for the achievements and the desire to face new challenges, towards the future.
Thanks to you and to all the people who have lived and continue to live with us this amazing trip.

Short film Falmec.
Watch the video

Why Falmec.

Solutions for a new quality of life.

A company that, throughout the years, has become increasingly important and well-known in the world of kitchen aspiration systems. A technological and design evolution that lengths across decades and transforms new needs and lifestyles into concrete solutions that can improve the time spent at home.

Falmec style: perfect balance between aesthetic and function.

The company has been able to develop a real stylistic identity for many years balancing elegance, attention to details and ergonomics, without renouncing to functionality.
Thanks to research and collaboration with leading designers, Falmec gives life to a variety of products designed to interact at best in the most various stylistic contexts and offers the ideal solution for every environment, taste and desire.

PREMIO
COMPASSO D'ORO ADI

GOOD DESIGN

archiproducts
DESIGN AWARDS
—
WINNER 2018

ICO NIC AWA RDS
2 0 1 8
INNOVATIVE INTERIOR
winner

EUROPEAN PRODUCT DESIGN AWARD

GERMAN DESIGN AWARD WINNER 2019

GERMAN DESIGN AWARD WINNER 2020

reddot design award

The product's culture.

Constructive excellence.

Falmec projects come into existence within a completely integrated and full quality cycle: from the initial concept to the choice of materials, up to the final product. A constant search for perfection in every production phase that today leads Falmec to be the qualitative reference in the world of extractor hoods.

The real "Made in Italy".

Each Falmec product is designed, developed and made entirely in Vittorio Veneto, near Venice. In this area known as "inox valley", the craft tradition has evolved over the centuries. It Led to the creation one of the most important Italian industrial districts for steel processing. In Falmec the expertise of raw materials merges with unique human abilities and advanced industrial processes. A shared product culture, that is expressed in an amazing balance between creativeness and concreteness, to give life to excellent achievements in which every detail counts.

FALMEC
SINCE 1981
—
MADE
IN ITALY

Life inspired.

Filtering innovation.

Falmec offers unique, patented solutions for maximum efficiency and performance.
Whether used in extracting or recirculating mode, Falmec cooker hoods satisfy one of our primal needs: breathing.

Silence. The importance of acoustic comfort.

The noise level of the environments in which we live is crucial but often overlooked factor. That's why Falmec has developed a technology that is able to make extractor hoods extremely quiet. NRS (Noise recduction system) reduces noise and makes it imperceptible, allowing people to enjoy the pleasure of cooking and being together.

Speed reduction system — SRS.

The SRS system reduces the maximum air flow rate that can be set in the hood. This makes the hood compliant with local building regulations.

Carbon. Zeo

silence collection

SRS

NRS NOISE REDUCTION SYSTEM

Learn more about SRS technology.

Silence — NRS.

Finally, a quiet hood.

Using innovative NRS technology, Falmec has created a product that combines enhanced performance with noticeably improved home comfort. While there are figures that provide scientific proof of the excellent results achieved, the most important point is that the hood can barely be heard.

You won't just hear the difference - you'll live it.

NRS (Noise Reduction System) is the system developed by Falmec in collaboration with laboratories specialising in fluid dynamics. It has enabLed us to create a collection of incredibly quiet hoods, with considerable improvements in quality of life in the kitchen. NRS technology allows you to cook, work, chat and listen to music without the noise typically produced by hoods, while simultaneously maintaining excellent extraction performance.

Up to 86% reduction in sound levels.

Thanks to research into airflow and the specialist materials used, NRS hoods reduce noise to an extremely low, almost imperceptible level. The NRS system gives the best results in terms of the removal of cooking fumes, but can also be used in recirculation mode with a long-lasting, regenerable high-performance carbon filter.

NRS
—
System
Patented
—
FALMEC

Learn more about NRS System

Compared to standard extraction hoods on the market, noise is drastically reduced. Our perception of noise actually follows a logarithmic scale: for every reduction of 3 db, noise is halved.

NOISE REDUCTION SYSTEM
NRS

silence collection

Diagram of internal flows in an NRS hood. Soundproofing the motor chamber and research into airflows reduces operating noise to a minimum.

NRS

|	Speed			
	1	2	3	4
NRS	37	41	46	54
STANDARD HOOD	49	56	62	68

70 db
60 db
50 db
40 db
30 db

1   2   3   4

Speed
Perception of noise produced by a standard hood

% reduction in noise level

150
100%
50
10%

40   45   50   55   60

46 dB
NRS
(Plane 90-120)

62 dB
Standard hood

Collections.

Professional.

More powerful blowers, high-performance baffle filters, a collector for cooking oils. A blend of features that is standard in commercial applications, found in the best restaurants, created for your home.

Design.

Over the years, Falmec has concentrated all efforts on one product, the best ventilation hoods while bringing innovative design and performance to kitchens across the world. Thanks to continued research and innovation, we have been able to deliver the best product with award-winning designs that make a unique statement in any kitchen.

Potenza.

A collection that offers great value and performance, the Falmec Potenza offering features flexible performance and value to meet your specific ventilation needs. These models embody the iconic characteristics of Italian design.

Built-in.

Built-in hoods integrated into cabinetry, give flexibility of design while optimization of space in the kitchen and are recommended in environments with an essential design or where there is the need to maximize space.
The Falmec Built-in collection offers all the styles, sizes and performance needed for any integrated installation.

Outdoor.

Enjoy your time outdoors with the new Falmec Outdoor Hoods, designed to guarantee the best performance and maximum capture area; the Outdoor Hood collection is equipped with powerful Blowers and built with the 304 stainless steel construction, in order to weather the harsh outdoor climate.

Professional.

The hood for haute cuisine.

More powerful blowers, high-performance baffle filters, a collector for cooking oils. A blend of features that is standard in commercial applications, found in the best restaurants, created for your home.

## Zeus Pro

- •Wall Mounted
- •Stainless Steel
- •4 Speed Motor
- •LED Lighting
- •Professional Baffle Filters
- •Professional knob control
- •Removable liquid collector

Code	Models
FP18P30W6SS-3	Wall – 30" (76 cm) – 600 CFM
FP18P36W6SS-3	Wall – 36" (90 cm) – 600 CFM
FP18P36W9SS-3	Wall – 36" (90 cm) – 1000 CFM
FP18P48W9SS-3	Wall – 48" (120 cm) – 1000 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KCPHN.004#3F	30" Duct Cover Extension
KCPHN.005#3F	36" Duct Cover Extension
KCPHN.006#3F	48" Duct Cover Extension
101080195	Baffle Filter - 22" Deep (spare parts)

600 CFM

1000 CFM

Zeus Pro NRS

- •Wall Mounted
- •Noise Reduction System for Quiet Operation
- •Stainless steel AISI 304
- •LED Lighting
- •Professional Baffle Filters
- •Touch Control 4 Speed Motor
- •Delayed Shut Off Option
- •Clean Filter Reminder
- •Optional Carbon.Zeo Filter Kit
- •Duct cover included
- •Removable liquid collector

Code	Models
FNZEU30W6SS	Wall – 30" (76 cm) – 600 CFM
FNZEU36W6SS	Wall – 36" (90 cm) – 600 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.948#IF	Carbon.Zeo Filtering Kit

Duct cover included

Pyramid Pro

- Wall or Island Mounted Models
- Stainless steel
- 4 Speed Motor
- LED Lighting
- Professional Baffle Filters
- Professional knob controls
- Removable liquid collector

Code	Models
FPDPR30W6SS-3	Wall – 30" (76 cm) – 600 CFM
FPDPR36W9SS-3	Wall – 36" (90 cm) – 1000 CFM
FPDPR48W9SS-3	Wall – 48" (120 cm) – 1000 CFM
FPDPR36I9SS-3	Island – 36" (90 cm) – 1000 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080195	Baffle Filter - 22" Deep (spare parts)

Pyramid Pro NRS

- •Wall Mounted
- •Noise Reduction System for Quiet Operation
- •Stainless steel AISI 304
- •Strip LED Lighting
- •Professional Baffle Filters
- •Touch Control 4 Speed Motor
- •Delayed Shut Off Option
- •Clean Filter Reminder
- •Optional Carbon.Zeo Filter Kit
- •Removable liquid collector

Code	Models
FNPYR30W6SS	Wall – 30" (76 cm) – 600 CFM
FNPYR36W6SS	Wall – 36" (90 cm) – 600 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080195	Baffle Filter - 22" Deep (spare parts)
101080200	Standard Baffle Recirculation Filter - Island (spare parts)
KACL.948#IF	Carbon.Zeo Filtering Kit
KACL.953#BF	Carbon.Zeo Filter Kit (Vertical Ceiling)

24

Line Pro NRS

- •Wall Mounted
- •Noise Reduction System for Quiet Operation
- •Stainless steel AISI 304
- •Strip LED Lighting
- •Professional Baffle Filters
- •Touch Control 4 Speed Motor
- •Delayed Shut Off Option
- •Clean Filter Reminder
- •Optional Carbon.Zeo Filter Kit

Code	Models
FNLIN30W6SS	Wall – 30" (76 cm) – 600 CFM
FNLIN36W6SS	Wall – 36" (90 cm) – 600 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080195	Baffle Filter - 22" Deep (spare parts)
KACL.948#IF	Carbon.Zeo Filtering Kit
KACL.961	Carbon.Zeo Filter

25

Built-in.

The integrated hoods.

Built-in hoods integrated into cabinetry, give flexibility of design while optimization of space in the kitchen and are recommended in environments with an essential design or where there is the need to maximize space. The Falmec Built-in collection offers all the styles, sizes and performance needed for any integrated installation.

Massimo Pro

- Built-in
- Stainless steel
- 4 Speed Motor
- LED Lighting
- Professional Baffle Filters
- Professional knob controls
- 18" and 22" Deep Models
- Removable liquid collector

Code	Models
FIMAS34B6SS-3	Built-in – 34" (87 cm) – 600 CFM – 18" deep
FIMAS34B9SS-3	Built-in – 34" (87 cm) – 1000 CFM – 18" deep
FIMAS46B9SS-3	Built-in – 46" (116 cm) – 1000 CFM – 18" deep
FIMAX34B6SS-3	Built-in – 34" (87 cm) – 600 CFM – 22" deep
FIMAX34B9SS-3	Built-in – 34" (87 cm) – 1000 CFM – 22" deep
FIMAX46B9SS-3	Built-in – 46" (116 cm) – 1000 CFM – 22" deep

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080196	Baffle Filter - 18" Deep (spare parts)
101080195	Baffle Filter - 22" Deep (spare parts)
FFCHAR3C0BL	Carbon Filter Kit - Order Qty 2 for FIMAS34B9SS-3, FIMAS46B9SS-3 or FIMAX46B9SS-3

Cut-out size
34" (87 cm)
*16 1/2" (419) x 32 1/16" (814)*

46" (116 cm)
16 1/2" (419) x 43 7/16" (1104)

*34" 22" dep. (87 cm – 57 cm dep.)*
22 9/16" (573) x 34 9/16" (878)

46" 22" dep. (116 cm – 57 cm dep.)
22 9/16" (573) x 46 9/16" (1183)

34" (87 cm)

*34" (87 cm) / 46" (116 cm)*

34 22" dep. (87 cm – 57 cm dep.)

34" 22" dept (87 cm – 57 cm dep.)
46" 22" dept (116 cm – 57 cm dep.)

Transition required to go from 2x6" round duct to 1x8" round duct is included with all dual Blower units in this series

SRS

Vittorio Pro NEW

•Built-in
•Speed Reduction System
•Stainless steel AISI 304
•Electronic Controls
•Strip LED Lighting
•Professional Baffle Filters
•Flush Finish
•Quick Fit Installation
•Remote Control Included
•Removable liquid collector

Code	Models
FIVIT34B6SS	Built-in – 34" (87 cm) – 600 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
FFCHAR3C0BL	Round Charcoal Filter

ø 5 15/16"
11 1/16"
22 15/16"
3 7/8"
12 13/16"
16 3/8"
17 11/16"
32 1/16"
33 1/2"

*Cut-out size
16 9/16" (420) x 32 7/16" (824)*

NRS
-86%
noise
—
FALMEC

Massimo Pro NRS

- •Built-in
- •Noise Reduction System for Quiet Operation
- •Stainless steel AISI 304
- •4 Speed Electronic Touch Control
- •LED Lighting
- •Professional Baffle Filters
- •Delayed Shut Off Option
- •Clean Filter Reminder
- •Optional Carbon.Zeo Filter Kit

Code	Models
FNMAS30W6SS	Built-in – 30" (76 cm) – 600 CFM
FNMAS36W6SS	Built-in – 36" (90 cm) – 600 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.961	Carbon.Zeo filter

Cut-out size
28" (72 cm):
26 3/16" (665) x 16 1/2" (419)

34" (87 cm):
*32 1/16" (815) x 16 1/2" (419)*

Danilo

- •Built-in
- •4 speed motor
- •Stainless Steel
- •Professional knob control
- •LED Lighting
- •Baffle Filter
- •Optional Charcoal Filter

Code	Models
FIDAN28B6SS-3	Built-in – 28" (70 cm) – 600 CFM
FIDAN28B9SS-3	Built-in – 28" (70 cm) – 1000 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080197	Standard Baffle Filter
FFCHAR3C0BL	Round Charcoal Filter

Cut-out size
14 1/4" (362) x 26 1/8" (664)

Danilo 28" (72 cm) - 600 CFM

Gruppo Incasso NRS

- Built-in
- Noise Reduction System
  for Quiet Operation
- Speed Reduction System
- Stainless steel AISI 304
- 4 Speed Electronic Control
- Strip LED lighting
- Metallic Filters Removable
  and Washable
- Remote Control Included
- Delayed Shut-Off Option
- Optional Carbon.Zeo Filter Kit
- Duct cover extension included

Code	Models
FNINS20B5SS-R	Built-in – 20" (50 cm) – 500 CFM
FNINS28B5SS-R	Built-in – 28" (70 cm) – 500 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.845#I	28" Metallic Filter (spare parts)
KACL.844#I	20" Metallic Filter (spare parts)
KACL.961	Carbon.Zeo Filter Kit

Built-in Mercurio

- Built-in
- Stainless steel
- Mechanical Control
- LED Lighting
- Metallic Filters Removable
  and Washable

Code	Models
FPMEU24B3SS	Built-in – 24" (60 cm) – 280 CFM
FPMEU30B3SS	Built-in – 30" (76 cm) – 280 CFM
FPMEU36B3SS	Built-in – 36" (90 cm) – 280 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
FFCHASQC0BL	Square Charcoal Filter

Cut-out size
14 7/8" (506) x 10 5/16" (262)

Valentina

- •Built-in
- •Speed Reduction System
- •Stainless steel AISI 304
- •4 Speed Electronic Control
- •LED Lighting (3200 K)
- •Perimeter Suction
- •Metallic Filters Removable and Washable
- •Flush Finish
- •Optional Charcoal Filter
- •Delayed Shut Off Option
- •Quick fit installation
- •Optional Remote Control

Code	Models
FIVAL28B5SS-R	Built-in – 28" (70 cm) – 500 CFM
FIVAL34B5SS-R	Built-in – 34" (86 cm) – 500 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080141	34" Metallic Filter (spare parts)
101080140	28" Metallic Filter (spare parts)
FFCHAR3C0BL	Round Charcoal Filter
105080053	Optional Remote Control

Cut-out size
28" (72 cm)
10 5/16" (262) x 26 1/4" (666)

34" (87 cm)
10 5/16" (262) x 31 15/16" (812)


Valentina Black/White **NEW**

- •Built-in
- •Speed Reduction System
- •Painted Stainless Steel
- •4 Speed Electronic Control
- •Black or White Glass Panel
- •Dynamic LED Lighting (2700K - 5600K)
- •Perimeter Suction
- •Flush Finish
- •Quick Fit Installation
- •Optional Carbon.Zeo Filter
- •Remote Control Option

Code	Models
FIBUR28B5WH-R	Built-in – 28" (70 cm) – White – 500 CFM
FIBUR28B5BK-R	Built-in – 28" (70 cm) – Black – 500 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
FFCHAR3C0BL	Round charcoal filter
KACL.950	Carbon.Zeo filter unit
105080053	Optional Remote Control

Sabina

•Built-in
•Stainless Steel
•3 Speed Slider Control
•LED Lighting
•Metallic Filters Removable
and Washable
•Optional Charcoal Filter

Code	Models
FISAB22B3SS-1	Built-in – 22" (55 cm) – 280 CFM
FISAB28B3SS-1	Built-in – 28" (70 cm) – 280 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080145	22" Metallic Filter (spare parts)
101080140	28" Metallic Filter (spare parts)
FFCHAR2C0BL	Round Charcoal Filter

Sabina 22" (56 cm) - 600 CFM

Sabina 28" (72 cm) - 600 CFM

Cut-out size
10 5/16" (262) x 19 5/16" (506)

Mara

•Built-in
•Stainless Steel
•3 Speed Slider Control
•LED Lighting
•Metallic Filters Removable
and Washable
•Recirculating Option

Code	Models	Price
FIMAR22B6SS	Built-in – 22" (55 cm) – 600 CFM	$ 609,00
FIMAR28B6SS	Built-in – 28" (70 cm) – 600 CFM	$ 629,00

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080138	22" Metallic Filter (spare parts)
101080139	28" Metallic Filter (spare parts)
FFCHAR3C0BL	Round Charcoal Filter

Cut-out size
22" (56 cm)
10 5/16" (262) x 19 5/8" (498)

28" (72 cm)
10 5/16" (262) x 26 1/4" (666)

Move

•**Built-in**
•**Stainless Steel**
•**4 Speed Electronic Control**
•**Dynamic LED Lighting (2700K - 5600K)**
•**Metallic Filters Removable
and Washable**
•**Black Tempered Glass**
•**Pull out panel with control**
•**Rear Vent**
•**Optional Chimney**
•**Optional Glass Shelf**
•**Optional Carbon.Zeo Filter**

Code	Models
FDMOV36W5SB	**Built-in – 36" (90 cm) – Black – 500 CFM**

Optional accessories

Code	Description
KACL.815	**Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)**
KACL.961	**Carbon.Zeo Filter**
KACL.107	**Optional Glass Shelf 36"**
101080250	**Metallic Filter (spare parts)**
KCVJN.00#3	**Optional Telescopic Chimney (Height - 7 1/4")**
KCVJN.01#3	**Optional Chimney (Height - 4 3/4")**

Rear view

*Side view
with optional chimney*

Optional shelf

## Virgola

- •Built-in
- •Stainless Steel
- •4 Speed Electronic Control
- •Dynamic LED Lighting (2700K-5600K)
- •Metallic Filters Removable
  and Washable
- •Tempered Turning Glass
- •Optional telescopic Duct Cover
- •Optional Carbon.Zeo Filter
- •Optional Charcoal Filter

Code	Models
FDVRG36W5SS-R	Built-in – 36" (90 cm) – 500 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101079910	Metallic Filter (spare parts)
KACL.961	Carbon.Zeo Filter
KCVJN.00#3	Optional Telescopic Chimney (Height - 7 1/4")
KCVJN.01#3	Optional Chimney (Height - 4 3/4")

*Side view
with optional chimney*

Design.

Innovation designed for real people, made by real people.

Over the years, Falmec has concentrated all efforts on one product, the best ventilation hoods while bringing innovative design and performance to kitchens across the world. Thanks to continued research and innovation, we have been able to deliver the best product with award-winning designs that make a unique statement in any kitchen.

Nuvola Led 90

- Ceiling Mounted
- Speed Reduction System
- Scotch Brite stainless steel (AISI 304) or painted white
- Tempered extra light painted glass
- 4 Speed Electronic Control
- Dynamic LED Lighting (2700K - 5600K)
- Metallic Filter is Removable and Washable
- Perimeter Suction
- Delayed Shutoff Option
- Inline Blower Installation Available
- Motor Sold Separately
- Remote Control Included

Cut-out size
19 7/8" (505) x 37" (940)

Code	Models
FDNUV36C6SS-R	Ceiling – 36" (90 cm) – Steel
FDNUV36C6WH-R	Ceiling – 36" (90 cm) – White

Blower (Required to be ordered separately)

Code	Description
FDNUVMTR600	Remote in-roof Blower – 600 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.789	Side Junction for Ceiling
105080053	Remote Control Replacement
101080241	Metallic Filter (spare parts)
KACL.939#BF	Ceiling Recirculation Filter Pack
KACL.953#BF	Carbon.Zeo Filter Kit (Vertical Ceiling)

Under–roof/remote Blower

Side view with junction

KACL.789

Nuvola Led 140

- Ceiling Mounted
- Scotch Brite stainless steel (AISI 304) or painted white
- Tempered extra light painted glass
- Speed Reduction System
- Dynamic LED Lighting (2700K - 5600K)
- Electronic Control
- Metallic Filter Removable and Washable
- Tempered Extra Light Painted Glass
- Perimeter Suction
- Delayed Shut Off Option
- Inline Blower Installation Available
- Motor Sold Separately
- Remote Control Included

Cut-out size
23 1/4" (590) x 52 3/16" (1325)

Code	Models
FDNUV54C6SS-R	Ceiling – 54" (140 cm) – Steel
FDNUV54C6WH-R	Ceiling – 54" (140 cm) – White

Blower (Required to be ordered separately)

Code	Description
FDNUVMTR600	Remote in-roof Blower – 600 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.789	Side Junction for Ceiling
105080053	Remote Control Replacement
101080241	Metallic Filter (spare parts)
KACL.939#BF	Ceiling Recirculation Filter Pack
KACL.953#BF	Carbon.Zeo Filter Kit (Vertical Ceiling)

*Under–roof/remote Blower*

Side view with junction

KACL.789

Stella

•Ceiling Mounted
•Speed Reduction System
•Stainless steel AISI 304
•4 Speed Electronic Control
•Dynamic LED Lighting (2700K - 5600K)
•Metallic Filter is Removable and Washable
•Perimeter Suction
•Delayed Shutoff Option
•Inline Blower Installation Available
•Motor Sold Separately
•Remote Control Included

Cut-out size
19 7/8" (505) x 37" (940)
19 7/8" (505) x 48 7/8" (1240)

Code	Models
FDSTE36C6SS-R	Ceiling – 36" (90 cm) – Steel
FDSTE48C6SS-R	Ceiling – 48" (120 cm) – Steel

Blower (Required to be ordered separately)

Code	Description
FDNUVMTR600	Remote in-roof Blower – 600 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.789	Side Junction for Ceiling
105080053	Remote Control Replacement
101080241	Metallic Filter (spare parts)
KACL.939#BF	Ceiling Recirculation Filter Pack
KACL.953#BF	Carbon.Zeo Filter Kit (Vertical Ceiling)

Under–roof/remote Blower


Side view with junction

KACL.789

Nube

•Ceiling Mounted
•Speed Reduction System
•Stainless steel AISI 304
•4 Speed Electronic Control
•Metallic Filter is Removable and Washable
•Perimeter Suction
•Delayed Shut Off Option
•Inline Blower Installation Available
•Motor Sold Separately
•Remote Control Included

Cut-out size
19 7/8" (505) x 37" (940)

Code	Models
FDNUB36C6SS-R	Ceiling – 36" (90 cm) – Steel

Blower (Required to be ordered separately)

Code	Description
FDNUVMTR600	Remote in-roof Blower – 600 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.789	Side Junction for Ceiling
105080053	Remote Control Replacement
101080241	Metallic Filter (spare parts)
KACL.939#BF	Ceiling Recirculation Filter Pack
KACL.953#BF	Carbon.Zeo Filter Kit (Vertical Ceiling)

Under–roof/remote Blower

*Side view with junction*

KACL.789

Lumen Island 175

- •Island Mounted
- •Speed Reduction System
- •Stainless steel AISI 304
- •Order as Left (L) or Right (R) Configuration
- •4 Speed Electronic Control
- •LED Ambient Lighting on Both Sides
- •Metallic Filters Removable and Washable
- •Perimeter Suction
- •Recirculating Option
- •Delayed Shut Off Option

Code	Models
FDLUM70I5SS-2R	Island – 70" (175 cm) Right – 500 CFM
FDLUM70I5SS-2L	Island – 70" (175 cm) Left – 500 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080260	Metallic Filter (spare parts)
KACL.557#I	Duct extension kit (H 47 2/8" island)
KACL.961	Carbon.Zeo filter

Right hand side version

Left hand side version

Right hand side example: chimney and button boards are on the right side when standing in front of the hood.


Suction surface is 35" wide, right below the chimney.

**Design
Lumen Island 175**

Rialto

•Wall Mounted
•Stainless steel AISI 304
•4 Speed Electronic Control
•LED Lighting
•Top Filter is Removable and Washable
•Recirculating Option
•Clean Filter Reminder

Code	Models
FFRIA24W5FS	Wall – 24" (60 cm) – 500 CFM – Steel

Optional accessories

Code	Description
101080097	Metallic Filter - Small Single
101080202	Metallic Filter - Large Two Piece
FFCHAR3C0BL	Round Charcoal Filter

## Mira

•Wall or Island Mounted
•Speed Reduction System
•Stainless steel AISI 304
•4 Speed Electronic Control
•LED Lighting
•Metallic Filters Removable and Washable
•Perimeter Suction
•Recirculating Option (Out the Top)
•Delayed Shut Off Option
•Clean Filter Reminder
•Optional Charcoal Filter

Code	Models
FFMIR16W5FS-R	Wall – 16" (40 cm) – 500 CFM
FFMIR16I5FS-R	Island – 16" (40 cm) – 500 CFM

Optional accessories

Code	Description
FFCHAR3C0BL	Active Carbon filter kit
101079900	Metallic Filter (spare parts) (wall version)
101080244	Metallic Filter (spare parts) (island version)

NRS
—
-86%
noise
—
FALMEC

NOISE REDUCTION SYSTEM
NRS

Lumina NRS NEW

- Wall or Island Mounted
- Noise Reduction System for Quiet Operation
- Stainless steel AISI 304
- 4 Speed Touch Control
- Neon Lighting
- Metallic Filters Removable & Washable
- Tempered Glass with Stainless Steel finishing
- Perimeter Suction
- Delayed Shut Off Function
- Clean Filter Reminder
- Optional Carbon.Zeo Filter Kit

Code	Models
FNLUM36W5SS	Wall – 36" (90 cm) – 500 CFM – Steel
FNLUM36I5SS	Island – 36" (90 cm) – 500 CFM – Steel

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.961	Carbon.Zeo Filter Kit
101080240	Metallic Filter (spare parts)

11 13/16" 14"
max 43 1/8"
20 7/8"
2 3/16"
18 7/8" 35 7/16"

12 3/16" 15 1/4"
max 48 7/16"
23 5/8"
2 3/16"
23" 35 7/16"

Lumen

•Wall or Island Mounted
•Speed Reduction System
•Stainless steel AISI 304
•Electronic Control
•LED Lighting/LED Ambient Light
•Air Falmec Filter
•Optional Remote Control
•Delayed Shut Off Option

Code	Models
FDLUM36I5SS-R	Island – 36" (90 cm) – 500 CFM
FDLUM36W5SS-R	Wall – 36" (90 cm) – 500 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
FFCHASQC0BL	Active Carbon filter kit
KACL.949#IF	Carbon.Zeo filter kit (for island version)
KACL.948#IF	Carbon.Zeo filter kit (for wall version)
KACL.510#I	Duct extension kit (H 27 1/2" wall)
KACL.512#I	Duct extension kit (H 37 6/8" wall)
KACL.557#I	Duct extension kit (H 47 2/8" island)

NRS
—
-86%
noise
—
FALMEC

SRS

NOISE REDUCTION SYSTEM NRS

## Plane NRS

- Wall or Island Mounted
- Noise Reduction System for Quiet Operation
- Speed Reduction System
- Stainless steel AISI 304
- Electronic Control
- LED Lighting
- Removable and Washable Metallic Filters
- Delayed Shut Off Option
- Clean Filter Reminder
- Optional Carbon.Zeo Filter Kit

Code	Models
FNPLS30W5SS-R	Wall – 30" (76 cm) – 500 CFM
FNPLS36I5SS-R	Island – 36" (90 cm) – 500 CFM
FNPLS36W5SS-R	Wall – 36" (90 cm) – 500 CFM
FNPLS48W5SS-R	Wall – 48" (120 cm) – 500 CFM
FNPLS48I5SS-R	Island – 48" (120 cm) – 500 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.961	Carbon.Zeo filter
101080204	30" Metallic Filter Island (spare parts)
101078700	36" Metallic Filter (spare parts)
101078701	36" Metallic Filter Island (spare parts)

SRS

Polar

- Wall or Island Mounted
- Speed Reduction System
- Stainless steel AISI 304
- Electronic Control
- LED Lighting
- Top Filters Removable and Washable
- Delayed Shut Off Option
- Clean Filter Reminder

Code	Models
FDPLR15W5SS-R	Wall – 14" (35 cm) – 500 CFM – Steel
FDPLR15I5SS-R	Island – 14" (35 cm) – 500 CFM – Steel

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
FFCHAR3C0BL	Active Carbon filter kit
FDPGL36I0TG	Optional glass wall (island)
KACL.841#I	Metallic Filter

Wall version

Island version

*Island version with optional glass (FDPGL36I0TG)*

SRS

Plane Top

- •Wall or Island Mounted
- •Speed Redution System
- •Stainless Steel Fasteel Anti-Finger Print
- •4 Speed Electronic Control
- •LED Lighting
- •Metallic Filters Removable and Washable
- •Perimeter Suction
- •Optional Charcoal Filter
- •Recirculating Option
- •Delayed Shut Off Option
- •Clean Filter Reminder

Code	Models
FFPLN36W5FS-R	Wall – 36" (90 cm) – 500 CFM
FFPLN48W5FS-R	Wall – 48" (120 cm) – 500 CFM
FFPLN36I5FS-R	Island 36" – (90 cm) – 500 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080240	Metallic Filter
FFCHASQC0BL	Square Charcoal Filter
KACL.948#IF	Carbon.Zeo Filter Kit

Prisma

- •Wall Mounted
- •Stainless steel AISI 304
- •4 Speed Electronic Touch Control
- •LED Lighting / LED Ambient Lighting
- •Charcoal Filter Included
- •Top Filters Removable and Washable
- •Tempered White or Black Glass
- •Perimeter Suction
- •Delayed Shut Off Option
- •Clean Filter Reminder
- •Recirculating Option
- •Optional Carbon.Zeo Filter Kit

Code	Models
FDPRI36W5SW	Wall – 36" (85 cm) – White – 500 CFM
FDPRI36W5SB	Wall – 36" (85 cm) – Black – 500 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.941	Carbon.Zeo filter kit (Vertical hood)
KCQAN.00#I	Chimney extension
FFCHAR3C0BL	Round Charcoal Filter

*Optional chimney
(KCQAN.00#I)*

Rear view

NRS
—
-86%
**noise**
—
FALMEC

NOISE REDUCTION SYSTEM
NRS

Verso NRS NEW

- •Wall Mounted
- •Noise Reduction System for Quiet Operation
- •Black or White Tempered Glass
- •Touch Control
- •Dynamic LED Lighting (2700K - 5600K)
- •Top Filter is Removable and Washable
- •Charcoal Filter Included
- •Delayed Shut Off Option
- •Clean Filter Reminder
- •Chimney included

Code	Models
FDVER36W5WH	Wall – 36" (85 cm) – White – 500 CFM
FDVER36W5BK	Wall – 36" (85 cm) – Black – 500 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.959	Active Carbon filter kit

14"
11 7/8"
max 39 3/8"
27 7/8"
33 4/8"

14 7/8"
15 6/8"
19 4/8"
17 5/8"
3/8"

Side view

max 11 4/8"
27 7/8"
31 4/8"
33 4/8"

Frontal view

Prestige

- **•Wall Mounted**
- **•Stainless steel AISI 304**
- **•Tempered Black Glass**
- **•Electronic Control**
- **•LED Lighting/LED Ambient Lighting**
- **•Top Filters Removable and Washable**
- **•Delayed Shut Off Option**
- **•Clean Filter Reminder**
- **•Optional Charcoal Filter**

Code	Models
FDPST26W5SG	**Wall – 26" (65 cm) – Black – 500 CFM**

Optional accessories

| Code	Description
KACL.815	**Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)**
FFCHAR3C0BL	**Round Charcoal Filter**
101080095	**Metallic filter (spare parts)**

Down Draft NEW

•Stainless steel AISI 304
•Tempered Black Glass or Stainless
 Panel
•Piston Controlled Silent Opening
•Touch Control
•LED Lighting
•Top Filters Removable and Washable
•Perimeter Suction
•Delayed Shut Off Option
•Optional Remote Control
•Optional Inline Blower Installation
•Blower to be ordered separately

Code	Models
FDDOW36T6SS	Worktop 36" (90 cm) – Steel
FDDOW36T6SGB	Worktop 36" (90 cm) – Black

Blower (Required to be ordered separately)

Code	Description
FDNUVMTR600	Blower - 600 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KACL.930	Underbase filtering kit Carbon.Zeo
KACL.931	Carbon.Zeo Filter (spare parts)
105080053	Remote control

Outdoor.

The best air for the best BBQ.

Enjoy your time outdoors with new Falmec Outdoor Hoods, designed
to guarantee the best performance and maximum capture area;
the Outdoor Hood collection is equipped with powerful Blowers and built
with the 304 stainless steel, in order to weather the harsh outdoor climate.

Zeus Outdoor NEW

- **Scotch brite stainless steel (AISI 304)**
- **Professional knob control**
- **Strip LED lighting (3000 K)**
- **Professional baffle filters**
- **Optional chimney**
- **Removable liquid collector**

Code	Models
FOZEU36W12OS	Wall – 36" (90 cm) – 1200 CFM
FOZEU42W12OS	Wall – 42" (106 cm) – 1200 CFM
FOZEU48W12OS	Wall – 48" (120 cm) – 1200 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KCPHN.001#IF	36" Duct Cover extension
KCPHN.002#IF	42" Duct Cover extension
KCPHN.003#IF	48" Duct Cover extension
KCPHN.007#IF	30"+30" Duct Cover extension

Zeus Outdoor 36"
Zeus Outdoor 42"
Zeus Outdoor 48"

Optional chimney
KCPHN.001#IF
KCPHN.002#IF
KCPHN.003#IF

Optional chimney
KCPHN.007#IF

72

Line Outdoor NEW

- **Scotch brite stainless steel (AISI 304)**
- **Professional knob control**
- **Strip LED lighting (3000 K)**
- **Professional baffle filters**
- **Removable liquid collector**

Code	Models
FOLIN36W12OS	Wall – 36" (90 cm) – 1200 CFM
FOLIN42W12OS	Wall – 42" (106 cm) – 1200 CFM
FOLIN48W12OS	Wall – 48" (120 cm) – 1200 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KCPHN.007#IF	30"+30" Duct Cover extension

Line Outdoor 36"
Line Outdoor 42"
*Line Outdoor 48"*

*Optional chimney*
KCPHN.007#IF

73

Pyramid Outdoor NEW

•Scotch brite stainless steel
 (AISI 304)
•Professional knob control
•Strip LED lighting (3000 K)
•Professional baffle filters
•Removable liquid collector

Code	Models
FOPYR36W12OS	Wall – 36" (90 cm) – 1200 CFM
FOPYR42W12OS	Wall – 42" (106 cm) – 1200 CFM
FOPYR48W12OS	Wall – 48" (120 cm) – 1200 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
KCPHN.007#IF	30"+30" Duct Cover extension

Pyramid Outdoor 36"
Pyramid Outdoor 42"
Pyramid Outdoor 48"

Optional chimney
KCPHN.007#IF

Potenza.

Great value and performance.

A collection that offers great value and performance, the Falmec
Potenza offering features flexible performance and value to meet
your specific ventilation needs. These models embody the iconic
characteristics of Italian design.

SRS

Vulcano

- •Speed Reduction System
  (600 CFM Models)
- •Stainless Steel
- •3 Speed mechanical Control
  (280 CFM Models)
- •4 Speed electronic Control
  (600 CFM Models)
- •LED Lighting
- •Metallic Filters Removable
  and Washable
- •Delayed Shut Off Option
- •Clean Filter Reminder

Code	Models
FPVUL24W3SS	Wall – 24" (60 cm) – 280 CFM
FPVUX30W6SS-R	Wall XL – 30" (76 cm) – 600 CFM
FPVUX36W6SS-R	Wall XL– 36" (90 cm) – 600 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080245	24" Metallic Filter (spare parts)
101080143	30" Metallic Filter (spare parts)
101080246	36" Metallic Filter (spare parts)
FFCHASQC0BL	Square Charcoal Filter

**Potenza
Vulcano**

SRS

Eros

•Under Cabinet
•Speed Reduction System
•Stainless Steel
•4 Speed Electronic Control
•LED Lighting
•Baffle Filters
•Delayed Shut Off Option
•Clean Filter Reminder
•Recirculating Option

Code	Models
FPERO30U5SS-R	Built-in – 30" (76 cm) – 500 CFM
FPERO36U5SS-R	Built-in – 36" (90 cm) – 500 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080199	30" Metallic Filter (spare parts)
FFCHAR3C0BL	Round Charcoal Filter

ø5 15/16"
10 1/4"
12"
2 3/8"
21 1/16"
30"
36"

Potenza
Eros

Mercurio

- •Wall or Island Mounted
- •Speed Reduction System
  (600 CFM Models)
- •Stainless Steel
- •3 Speed Control (280 CFM Models)
- •4 Speed Control (600 CFM Models)
- •LED Lighting
- •Metallic Filters Removable and
  Washable
- •Recirculating Option
- •Delayed Shut Off Option
- •Clean Filter Reminder
- •Optional Charcoal Filter

Code	Models
FPMER24W3SS	Wall – 24" (60 cm) – 280 CFM
FPMEX30W6SS-R	Wall XL – 30" (76 cm) – 600 CFM
FPMEX36W6SS-R	Wall XL – 36" (90 cm) – 600 CFM
FPMEX36I6SS-R	Island XL – 36" (90 cm) – 600 CFM
FPMEX42I6SS-R	Island XL – 42" (106 cm) – 600 CFM

Optional accessories

| Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
FFCHASQC0BL	Square Charcoal Filter

Afrodite

- •Wall Mounted
- •Stainless steel
- •3 Speed Slider Control
- •LED Lighting
- •Metallic Filters are Removable
  and Washable

Code	Models
FPAFX30W6SS	Wall XL – 30" (76 cm) – 600 CFM
FPAFX36W6SS	Wall XL – 36" (90 cm) – 600 CFM

Optional accessories

Code	Description
KACL.815	Protective Cleaning Cloths for Stainless Steel (Box 10 Pcs)
101080243	30" Metallic Filter (spare parts)
101079900	36" Metallic Filter (spare parts)
FFCHAR3C0BL	Round Charcoal Filter

Blowers and accessories.

Falmec air solutions.

Kitchen ventilation requires an accurate assessment of your technical restraints, functional needs and particular aesthetic requirements.
In addition to a wide choice of hoods, Falmec offers a range of accessories and solutions that guarantee maximum flexibility in your preferred choice of hood guaranteeing the best result every time.

Blowers.

500 CFM
Blowers

Designed and developed to optimize fluid dynamics and consequently performance, the 500 CFM blower represents excellent extraction capacity, at the same time as offering excellent energy efficiency (class A).
The result is an extremely stable and perfectly balanced blower, thanks to its double support. The shell is created using a particular type of resin with mineral content: an innovative material that guarantees strength and solidity and reduces noise.

600 CFM
High Performance Blowers

The 600 CFM High Performance blower offers even greater power to guarantee a superior extraction capacity. This blower is used in the Professional collection, a range designed to offer professional performance in a domestic setting.

Remote Blower.

Remote
indoor Blower.

A remote ventilation fan is the right choice if you want to reduce the noise of your hood, by distancing the source of the noise, without compromising on extraction performance.

Remote in-roof Blower
600 CFM

600 CFM blower kit.
23" electrical cable.
Suitable only for hoods with 500 CFM blowers (used as remote in-roof blowers).
Weight: 20 lb

FDNUVMTR600

Filtration.

Anti-grease Filters.

Metallic
Filters.

The anti-grease filter serves the important purpose of trapping cooking grease.
Falmec metal filters have been specifically designed to guarantee excellent grease capture. They have an internal multi-layer aluminum structure composed of corrugated mesh (to maximize the filtering surface).

Professional
Baffle Filters.

Baffle filters are fitted as standard in all hoods in the Professional collection. Adopted from the world of professional catering, their unique criss-cross structure means that oils and vapors are condensed and channelled into a suitable receptacle that can be easily removed and cleaned.

Top
Filters.

Top grease filters maintain the high retention performance of the metal filters with the addition of a "chessboard" external frame in Scotch Brite steel with a smooth surface that facilitates cleaning and at the same time qualifies the aesthetic appearance.

Anti-odor filters.

Active
Charcoal Filters.

Anti-odor filters are installed in all hoods that can be used in filter mode. The active carbons they contain absorb odors created by cooking.
As the filters become less efficient with time, replacement at least every four months is recommended.

Type 3 (rectangular)
code FFCHASQC0BL

Type 2 (round)
code FFCHAR2C0BL (pair)

Type 6 (round)
code FFCHAR3C0BL (pair)

Combined
High Performance Filters
(Silence - NRS Collection).

Wash in dishwasher with your usual detergent at a temperature not exceeding 149°F, if possible with no other contents. After washing, regenerate the filter in the oven at 176°F for 20 minutes.

Verso NRS
code KACL.959

Carbon.Zeo
Filters.

Carbon.Zeo filters use natural materials such as active carbon and zeolite, a mineral of volcanic origin with a microporous crystalline molecular structure that absorbs fumes and unpleasant odors.
The Carbon.Zeo combined filter has a guaranteed minimum life of 3 years, but is expected to last 5 years under conditions of normal use. We recommend that it be regenerated every 18 months by placing it in an oven at 392°F for two hours.

Lumina NRS
Gruppo Incasso NRS
Plane NRS
Line Pro NRS
Massimo Pro NRS
Move
code KACL.961

Filtering innovation.

New Accessories for better filtration.

Carbon.Zeo technology.

Carbon.Zeo filters use natural materials such as active carbon and zeolite, a mineral of volcanic origin with a microporous crystalline molecular structure that absorbs fumes and unpleasant odors.
On contact with the flow of vapors, zeolite releases heat, helping to reduce moisture caused by cooking.
The Carbon.Zeo combined filter has a guaranteed minimum life of 3 years, but is expected to last 5 years under conditions of normal use. The filter should be regenerated every 18 months by placing it in an oven at 392°F for two hours.

Wall.

Filter unit for sloped hoods.

A new product designed to enhance the performance of sloped hoods installed in recirculation mode.

8"

Carbon. Zeo

This accessory can also be used with previously installed hoods to enhance performance. The unit is created in stainless steel (AISI 304) for long-lasting use and to facilitate cleaning.

Filter unit
KACL.941
Filter replacement
KACL.943

5 1/2"
10"
10"
15"

Filter unit for t-shaped wall hoods.

A new filter kit designed to enhance extraction and recirculation efficiency in all Falmec wall mounted chimney hoods.

8"

Carbon. Zeo

Carbon.Zeo filters, through the use of natural minerals such as active carbon and zeolite, guarantee excellent results in filtration and at the same time reduce moisture caused by cooking vapors.

Filter unit
KACL.948#IF

6 6/8"
9 7/8"
3 7/8"
5 15/16"
3 6/8"
9"
8 2/8"

Ceiling.

Ceiling filter unit kit.

These parts enable all models of Falmec ventilation hood to be installed in filtration mode. The extracted air is channelLED, filtered and returned to the room using a kit that can be inserted elegantly into the same false ceiling area as the hood, fitting in harmoniously with the rest of the kitchen. This solution combines aesthetic elegance with outstanding filter performance with a Carbon.Zeo filter, at the same time providing considerable energy savings.

Carbon. Zeo

Furthermore, this kit, which can be installed flush-mounted on the false ceiling, is harmoniously integrated into the kitchen environment thanks to the white painted steel frame and the white satin glass inner panel.

Filter unit
KACL.939#BF
Spare part
KACL.928

min 3/8"
max 1"
9 3/8"
9 3/8"
3 7/8"
3 1/2"
15 1/16"
16 7/8"
15 1/16"
16 7/8"

Cut-out size
15 9/16" x 15 9/16"

Island.

Filter unit for island hoods.

New filter kit designed to enhance extraction and recirculation efficiency in Falmec chimney island hoods.

29"

Carbon. Zeo

Carbon.Zeo filters, through the use of natural minerals such as active carbon and zeolite, guarantee excellent results in filtration and at the same time reduce moisture caused by cooking vapors.

Filter unit
KACL.949#IF
Filter replacement
KACL.934

12 1/2"
10 7/8"
10"
25 1/8"
23 5/8"
6 2/8"
10"
8 7/16"
4 6/8"

88

89

Built-in/Wall.

#### Filter unit for Built-in hoods.

New filter kit designed to enhance extraction and recirculation efficiency in all Falmec Built-in hoods.

Carbon.Zeo

Carbon.Zeo filters, through the use of natural minerals such as active carbon and zeolite, guarantee excellent results in filtration and at the same time reduce moisture caused by cooking vapors.

Filter unit
KACL.950
Filter replacement
KACL.934

8"

6 3/8"
5 15/16"
9"

5 1/8"
8 1/8"

12 3/8"
10"

Under base.

#### Under base filter unit.

Under base filter solutions are equipped with Carbon.Zeo technology and are installed under the kitchen plinth to enhance the filter capacity of Falmec solutions.

Carbon.Zeo

Under base filter unit
KACL.930
Filter replacement
KACL.931

3 7/8"
12 6/8"
14 2/8"

Filter charts.

Hood	Carbon filter	Carbon.Zeo filtering kit	Carbon.Zeo filtering kit Spare part
Afrodite	FFCHAR3C0BL	-	-
Built-in Mercurio	FFCHASQC0BL	-	-
Danilo	FFCHAR3C0BL	-	-
Down Draft	-	KACL.930	KACL.931
Eros	FFCHAR3C0BL	-	-
Gruppo Incasso Burano	FFCHAR3C0BL	KACL.950	KACL.934
Gruppo Incasso NRS	-	KACL.961	KACL.961
Line Pro NRS	-	KACL.961	KACL.961
Line Outdoor	-	-	-
Lumen Island	FFCHASQC0BL	KACL.949#IF	-
Lumen Wall	FFCHASQC0BL	KACL.948#IF	-
Lumen Island 175	FFCHASQC0BL	KACL.949#IF	-
Lumina NRS	-	KACL.961	KACL.961
Mara	FFCHAR3C0BL	-	-
Massimo Pro	FFCHAR3C0BL	-	-
Massimo Pro XL	2 x FFCHAR3C0BL	-	-
Massimo Pro NRS	-	KACL.961	KACL.961
Mercurio	FFCHASQC0BL	-	-
Mira Wall	FFCHASQC0BL	-	-
Mira Island	FFCHAR3C0BL	-	-
Move	-	KACL.961	KACL.961
Plane Top	FFCHASQC0BL	KACL.948#IF	-
Plane Black	FFCHASQC0BL	KACL.948#IF	-
Plane NRS	-	KACL.961	KACL.961
Polar	FFCHAR3C0BL	-	-
Polar Black/White	2 x FFCHAR3C0BL	-	-
Prestige	FFCHAR3C0BL	-	-
Prisma	FFCHAR3C0BL	KACL.941	-
Pyramid Outdoor	-	-	-
Pyramid Pro	-	-	-
Pyramid Pro NRS	KACL.948#IF	-	-
Rialto Top	FFCHAR3C0BL	-	-
Sabina	FFCHAR2C0BL	-	-
Valentina	FFCHAR3C0BL	-	-
Verso NRS	KACL.959	-	-
Virgola	FFCHASQC0BL	KACL.950	KACL.934
Vittorio Pro	FFCHAR3C0BL	-	-
Vulcano	FFCHASQC0BL	-	-
Zeus Pro	-	-	-
Zeus Pro NRS	KACL.948#IF	-	-
Zeus Outdoor	-	-	-

Ducting accessories.

Rigid flat pipe
KACL.381
5 15/16" x 2 12/16" x 47 4/16"
KACL.352
8 10/16" x 3 10/16" x 47 4/16"
KACL.331
8 10/16" x 2 6/16" x 59"

Rigid round pipe
KACL.382
ø4 15/16" x 47 4/16"
KACL.358
ø5 15/16" x 47 4/16"
KACL.340
ø7 14/16" x 47 4/16"

Circular/flat bend
ø4 15/16" / 5 15/16" x 2 12/16"
KACL.371
ø5 15/16" / 8 10/16" x 3 10/16"

Circular/flat connector
KACL.388
ø4 15/16" / 5 15/16" x 2 12/16"
KACL.376
ø5 15/16" / 8 10/16" x 3 10/16"
KACL.338
ø7 14/16" / 8 10/16" x 2 6/16"

Flat junctions
KACL.383
5 15/16" x 2 12/16"
KACL.356
8 10/16" x 3 10/16"
KACL.333
8 10/16" x 2 6/16"

Round junctions
KACL.384
ø4 15/16"
KACL.380
ø5 15/16"
KACL.342
ø7 14/16"

Horizontal/flat elbow
KACL.385
5 15/16" x 2 12/16"
KACL.367
8 10/16" x 3 10/16"
KACL.335
8 10/16" x 2 6/16"

Flexible ducting belt
KACL.363
ø4 15/16"
KACL.364
ø5 15/16"

Round bend
KACL.390
ø4 15/16"
KACL.391
ø5 15/16"
KACL.341
ø7 14/16"

Connector
KACL.343
ø5 15/16" / ø7 14/16"
103040201
ø4 15/16" / ø5 15/16"

Vertical/rectangular elbow
KACL.386
5 15/16" x 2 12/16"
KACL.369
8 10/16" x 3 10/16"

**Aluminum pipe extendable
to up to 3m**
KACL.359
ø4 15/16" / 31 1/2" x118"
KACL.360
ø5 15/16" / 31 1/2" x118"

Rectangular duct holder
KACL.389
5 15/16" x 2 12/16"
KACL.362
8 10/16" x 3 10/16"

Gravity wings grid
KACL.347
ø4 15/16"
KACL.348
ø5 15/16"

# Ceiling hood installation options.

Falmec ceiling hoods guarantee elegance, minimalism and superior extraction efficiency (in both extraction and filter modes) using the most suitable blower and exclusive Carbon.Zeo ceiling filter kits. Falmec's solutions are intelligent and flexible, making installation easy.

Watch our video tutorial on ceiling hood installation in extracting mode.

Watch our video tutorial on ceiling hood installation in recirculating mode.

Internal in-roof Blower.

**Internal in-roof Blower
with round ducting**

KACL.798#41F - 600 CFM
Use with 5 15/16" Ø pipes

**Indoor in-roof Blower
with flat ducting**

KACL.798#41F - 600 CFM
Use with flat 8 5/8" X 3 1/2" pipes

**Important: if flat ducting is used
you will need KACL.789 and KACL.376 junctions.**

Hood-top Blowers.

**Blowers installed on the
hood**

KACL.798#41F - 600 CFM
Use with 5 15/16" pipes

Adjustable direction air outlets.

1 Standard Blower unit
5 directions

Junctions.

**2 Junction
KACL.789**
8 5/8" x 3 1/2"

**3 Round/rectangular junction
KACL.376**
ø 5 13/16
8 5/8" x 3 1/2"

Life inspired.

falmecnorthamerica.com